

**From:** Robinson, John H - DNR  
**Location:** Conference Room 3 DNR Rhinelander Service Center Call in number 888 327-8914 passcode is 6751 034#  
**Importance:** Normal  
**Subject:** Tower Standard Meeting  
**Start Date/Time:** Thur 10/22/2015 4:00:00 PM  
**End Date/Time:** Thur 10/22/2015 7:00:00 PM  
[4246\\_001.pdf](#)  
[Tower Draft Summary Tables](#)  
[Figure 10b - Extent of Groundwater Plume 40ft bgs \(Overlay\)gl.pdf](#)  
[Table 1 - VAS Dec 2013.pdf](#)  
[Figure 4 \(A-A'\) Benzene.pdf](#)

....  
,,,,

The meeting to discuss the approach to groundwater monitoring at the Tower Standard Site has been scheduled for 11 a.m. on Thursday, October 22<sup>nd</sup>. The meeting will be held in Conference Room 3 at the DNR Service Center, 107 Sutliff Ave. in Rhinelander. A call in number has been set up for those unable to attend in person, the call in number 888 327-8914 passcode is 6751 034#.

The proposed agenda for the meeting is:

Agenda Repair

Review of historic groundwater and soil information

Location of groundwater monitoring wells

Timelines for well construction

Roles and responsibilities

Next steps

I am attaching the preliminary results for your review. Please note that there may be updated information available before the meeting.

Groundwater grab sample results:

Preliminary soil results and map

I am also attaching the results for the work the Weston did for EPA.

Bob, could you share any results that you have with the group.

Please contact me if you have any questions.

**We are committed to service excellence.**

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

John Robinson

Phone: (715) 359-8932

[John.Robinson@wisconsin.gov](mailto:John.Robinson@wisconsin.gov)